

ROCKMOTION

Spółka z o.o.

Dobieszyn 143, 38-460 Jedlicze

NIP: 6842685875, KRS: 0001210506

tel. +48 661-124-902, +48 605-643-934

e-mail: office@rockmotion.pl

www.rockmotion.pl

Katalog narzędzi diamentowych do maszyn kamieniarskich typu CNC

wersja 1.2026

Bowl Processing / Cutting TW31

Finger Bits TW311

Items	Type (类型)	Specification (尺寸) RPM(转速)	Connection	RPM(转速)
TW3111	Round	φ23×H40/H45/H50	G1/2	4400-4800
TW3112A	Extreme Twister	φ23×H40/H45/H50	G1/2	5500-6200
TW3112B	Twister	φ23×H40/H45/H50	G1/2	5200-5800
TW3112C	Twister	φ23×H40/H45/H50	5/8"-11	/
TW3112D	Twister	φ23×H40/H45/H50	Shank	/
TW3113A	Straighter	φ23×H40/H45/H50	G1/2	3400-4000
TW3113B	Straighter	φ23×H40/H60	G1/2	/
TW3114	Twister	φ23×H40	G1/2	5200-5800
TW3115	Electroplate	φ16/20/25×H30/40/50/80/100	G1/2	5500-6200
TW3116	Brazing	φ16/20/25×H30/40/50/80/100	G1/2	5500-6200
TW3117A	Twister	φ23×H15×L50/L85/L105	G1/2, M14, 5/8"-11	/
TW3117B	Twister	φ23×H15×H40×L85/L105/L125	G1/2, M14, 5/8"-11	/
Feature	Faster Speed & Lasting Longer; Clean Finish; Less Noise & Low Ampere			
Application	Granite, Marble, Sandstone, Limestone, Engineered Stone			

TW3111



TW3112A



TW3112B



TW3112C



TW3112D



TW3113A



TW3113B



TW3114



TW3115



TW3116



TW3117A



TW3117B



φ23×H40×L125



φ23×H15×L85

CNC & NC Tools for Stone TW3

Easy Bit TW312

Items	Type (类型)	Specification (尺寸)	Arbor	RPM(转速)
TW3121	Standard Type	φ20mm*T3.0mm 10L, 15L, 20L NC Machine	M10, M12	8000-10000
TW3122	TurboType	φ20mm*T3.0mm 10L, 15L, 20L CNC or NC Machine Side grooves for discharging sludge out in easy .	M10, M12	8000-10000
TW3123	Standard Type	φ10mm*L15mm φ20mm*T3.0mm 10L, 15L, 20L NC Machine		
Feature	Faster Speed & Lasting Longer; Clean Finish; Less Noise & Low Ampere			
	1/2 Gas or Shaft			
Application	Granite, Marble, Sandstone, Limestone, Engineered Stone			

TW3121



TW3122



TW3123



Fluting TW313

Items	Type (类型)	Specification (尺寸)	Arbor	RPM(转速)
TW3131	Groover	φ15mm, #60 #120 #230	1/2 Gas	
TW3132	Head Mill	φ85mm*H60mm Grit: Coarse For stone sink or shower pan Cutting depth: 0.6-0.8mm	1/2 Gas	4500-5500
Feature	Faster Speed & Lasting Longer; Clean Finish; Less Noise & Low Ampere			
	1/2 Gas or Shaft			
Application	Granite, Marble, Sandstone, Limestone, Engineered Stone			

TW3131




TW3132




CNC/NC Cutting TW314

Items	Type (类型)	Specification (尺寸)	Bore	Mark
TW3141	Z	4"(φ105mm)/5"(φ125mm)/7"(φ	φ22.23mm	
TW3142	B	4"(φ105mm)/5"(φ125mm)/7"(φ	φ22.23mm	
TW3143	V	4"(φ105mm)/5"(φ125mm)/7"(φ	φ22.23mm	


TW3141



TW3142



TW3143



CNC/NC Drilling TW32

Solid Drilling Bit TW321

Items	Dia (直径)	Working Height (工作高度)	Connection	Teeth Thickness(齿厚)
TW3211	φ6mm-φ12mm	50mm	G1/2	/
TW3212			M8	
TW3213			M12,M14	
TW3214			5/8"-11	
TW3215			φ10mm shank	

TW3211



G1/2

TW3212



M8

TW3213



M12/M14

TW3214



5/8"-11

TW3215



φ10

Thin Wall Type TW322

Items	Dia (直径)	Working Height (工作高度)	Connection	Teeth Thickness(齿厚)
TW3221	φ14-φ100	50mm/100mm	G1/2	1mm/1.5mm/2mm
TW3222			M12	
TW3223			M14	
TW3224			5/8"-11	

TW3221



G1/2

TW3222



M12

TW3223



M14

TW3224



5/8"-11

Hollow Drill Bit TW323

Items	Dia (直径)	Working Height (工作高度)	Connection	Teeth Thickness(齿厚)
TW3231	φ14-φ35	50mm/100mm	G1/2	2mm/3mm
TW3232			M14	
TW3233			5/8"-11	

TW3231



G1/2

TW3232



M14

TW3233



5/8"-11

Segmentd Drill Bit TW324

Items	Dia (直径)	Working Height (工作高度)	Connection	Teeth Thickness(齿厚)
TW3241	φ14-φ100	50mm/100mm	G1/2	3.5mm
TW3242			φ12	
TW3243			5/8"-11	
TW3244			M14	

TW3241



G1/2

TW3242



φ12

TW3243



5/8"-11

TW3244



M14

Edge Processing / Profiling Wheels TW33
 Profiling Wheels D35/D22 TW331

Position	Function	RPM	Offset	Marble	Granite/Quartz/Ceramic
				Bond&F/S(mm/Min)	Bond&F/S(mm/Min)
POS.0	Stock Removing	4700~5000 r/m	1.0mm	Elec.&Braze-800	Segmented-600
POS.1/2/3	Shaping		0.6/0.1/0.1mm	Elec.&Braze-800	Continuous-800
POS.4/5/6/7	Polishing	1500 r/m	0.1mm	Resin-1000	Resin-1000

Custom shapes are also available


F shape



A shape



L shape



Basin Finger Bits Processing G1/2 TW332


Position	Function	RPM	Offset	Granite	Marble
				Bond&F/S(mm/Min)	Bond&F/S(mm/Min)
POS.0	Stock Removing	4700~5000 r/m		Segmented-600	Elec.&Brazing-800
POS.1	Shaping		1.0mm	Continous-800	Elec.&Brazing-800
POS.2	Honing		0.6mm	Continous-800	Elec.&Brazing-1200
POS.3	Finishing		0.1mm	Continous-800	Elec.&Brazing-1200
POS.4	Polishing	1500 r/m	0.1mm	Resin-1000	Resin-1000
POS.5	Polishing		0.1mm	Resin-1000	Resin-1000
POS.6	Polishing		0.1mm	Resin-1000	Resin-1000
POS.7	Polishing		0.1mm	Resin-1000	Resin-1000

Custom shapes are also available

X shape




Z shape



Portable Router Bits M14 TW333

Position	Function	RPM	Offset	Granite	Marble
				Bond&F/S(mm/Min)	Bond&F/S(mm/Min)
POS.0	Stock Removing	4700~5000 r/m		Segmented-600	Elec.&Brazing-800
POS.1	Shaping		1.0mm	Continous-800	Elec.&Brazing-800
POS.2	Honing		0.6mm	Continous-800	Elec.&Brazing-1200
POS.3	Polishing	1500 r/m	0.1mm	Resin-1000	Resin-1000
POS.4	Polishing		0.1mm	Resin-1000	Resin-1000
POS.5	Polishing		0.1mm	Resin-1000	Resin-1000



Bowl Processing / Calibrating & Polishing Wheels TW34

Milling , Polishing Drums TW341

Items	Dia/H (直径/高)	Grit (目数)	Bond (胎体)	Arbor (接头)	Mark (备注)
TW3411	D50H40	Pos.0	Twister Seg.	35mm	
	D70H40	Pos.0	Twister Seg.	35mm	
TW3412	D50H40	Pos.0	Straight Seg.	35mm	
	D70H40	Pos.0	Straight Seg.	35mm	
TW3413	D50H40	Pos.1-Pos.3	Continous Seg.	35mm	
TW3414	D50H40	Pos.1-Pos.3	Continous Seg.	G1/2	
TW3415	D50H40	#50 #100 #200	Polishing Pad	5/8"-11 thread	
	D70H40	#400 #800 #1500			
TW3416	D50H40	#50 #100 #200	Polishing Pad	M14	
	D70H40	#400 #800 #1500		M16	

TW3411



TW3412



TW3413



TW3414



TW3415



TW3416



Calibrating Wheels TW342

Items	Dia (直径)	Height (高)	Segment Type	Arbor(接头)	Mark (备注)
TW3421	D87	H20/H30	Continuous	Fφ50-3+3Fφ6.5/φ63	
TW3422	D50	H20/H30/H40	Segmented	Fφ20-4+4Fφ6/φ45	
	D87			Fφ50-3+3Fφ6.5/φ63	
	D100 D140				
TW3423	D140 D300	H20/H30/H40	Segmented	φ50	
TW3424	D350 D400	H15/H20/H25/ H30/H40	Segmented	φ50 φ60	A:Silence B:Slience Hole C:Regular

TW3421



TW3422



TW3423



TW3424A



TW3424B




TW3424C




Engraving Tools TW35


TW3511 Flat Head Cylinder 平头圆柱雕刻刀

TW3511	Spec (直径×工作高度-总长-柄径)	Finish (工艺)		Application (用途)
	D3×H10-L90-S6	S	Sintered	Granite/Quartz
	D4×H20-L70-S6			
	D6×H20-L90-S6			
	D6×H30-L90-S8	B	Brazed	Marble
	D8×H20-L90-S8			
	D8×H30-L90-S8	E	Electro-plate	Marble
	D10×H20-L90-S10			
	D10×H30-L90-S10	A	Alloy	Granite/Jade
	D12×H20-L120-S12			
	D12×H30-L120-S12			


TW3512 Ball Head 球头雕刻刀

TW3512	Spec (直径×工作高度-总长-柄径)	Finish (工艺)		Application (用途)
	D6×H20-L90-S6	S	Sintered	Granite/Quartz
	D6×H30-L90-S8			
	D8×H20-L90-S8	B	Brazed	Marble
	D8×H30-L90-S8			
	D10×H20-L90-S10	E	Electro-plate	Marble
	D10×H30-L90-S10			
	D12×H20-L120-S12	A	Alloy	Granite/Jade
	D12×H30-L120-S12			

TW3513 Taper Engraving Tools 锥度铣刀

TW3513	Spec (尖/直径×高度-总长-柄径)	Finish (工艺)		Application (用途)
	(1-4)/D6×(6-20)-L60-S6	S	Sintered	Granite/Quartz
	(3-6)/D8×(20-30)-(L60-L90)-S8			
	(3-6)/D10×(30-50)-(L90-L120)-S10	B	Brazed	Marble
	(4-8)/D12×(60-100)-(L120-L150)-S12			
	(6-8)/D16×(100-180)-(L180-L230)-S16	E	Electro-plate	Marble
	A	Alloy	Granite/Jade	


TW3514 Mushroom-shaped Engraving Tools 蘑菇头铣刀

TW3514	Spec (尖/直径×角度-总长-柄径)	Finish (工艺)		Application (用途)
	1.2/D6×60°-L70-S6	S	Sintered	Granite/Quartz
	1.2/D6×90°-L70-S6			
	1.5/D8×90°-L80-S8	B	Brazed	Marble
	1.5/D8×120°-L80-S8			
	E	Electro-plate	Marble	
	A	Alloy	Granite/Jade	


TW3515 Carbide Engraving Tools 合金铣刀

TW3515	Spec (尖/直径×角度-总长)	Application (用途)
	0.1/D3.175×(15°-90°)-(L33-L38)	Advertising Letting
	0.1/D4×(30°-90°)-L40	Door Plate
	0.1/D6×(30°-90°)-L50	Furniture Carving
		Sculptural Art
		Granite Carving


TW3516 PCD Engraving Tools PCD铣刀

	Spec (直径×尖端×R角度)	Application (用途)
	(0.2-1.5)/D6×(22.5°-150°)	Advertising Letting
	(0.2-1.5)/D8×(22.5°-150°)	Door Plate
	(0.2-1.5)/D9×(22.5°-150°)	Furniture Carving
	(0.2-1.5)/D10×(22.5°-150°)	Sculptural Art
	(0.2-1.5)/D12×(22.5°-150°)	Granite Carving
	(0.2-1.5)/D40×(22.5°-150°)	
(0.2-1.5)/D60×(22.5°-150°)		

TW352 Round Blade Type Engraving Tools 锯片型雕刻刀

	Diameter (直径)	Adapter (接头)	Finish (工艺)		Application (用途)
	D20	φ6×40	S	Sintered	Granite/Quartz
	D25				
	D30	φ8×40	B	Brazed	Marble
	D35	M10×40	E	Electro-plate	Marble
	D40	M14×40	A	Alloy	Granite/Jade
	D50				


TW353 Segmented Type Jig Saw Blade 曲线雕刻刀

	Spec. (规格)	Seg (刀头)	Teeth (齿数)	Application (用途)
	G20	15×2×5	1	Granite/Quartz
		10×2×5	2	
	G30	15×2×5	1	
		10×2×5	2	
	G40	15×2×5	1	
		12×2×5	2	

Auto Edge Tooling - For In-line Machines TW36

Straight Edge Wheels TW361 & TW362 & TW363


Items	Dia/H (直径/高)	Grit (目数)	Arbor(接头)	Mark (备注)		
TW3611	4"(φ100mm) 5"(φ125mm) 6"(φ150mm)	#50#100#200#400	Snail Lock	Metal		
TW3612						
TW3613						
TW3621		#50#100#200#400#800#1500#3000	Snail Lock Velcro	Resin		
TW3622						
TW3623						
TW3624						
TW3625						
TW3626						
TW3627						
TW3628						
TW3629					#50#100#200#400#800#1500#3000	Magnesite
TW3631					#0	Buff
TW3632		#0	Buff			
TW3641	#0	Snail Lock	5-Extra			





Cup Grinding Wheels TW37

Turbo Grinding Wheels TW371

Items	Dia/H (直径/高)	Grit (目数)	Arbor(接头)	Seg. (刀头)	Base (基体)
TW3711	4"(ϕ 100mm) 5"(ϕ 125mm) 6"(ϕ 150mm)	#30 #100 #200	#50 ϕ 22.23 5/8"-11 M14 M16	Twister	Aluminium
TW3712				Oblique	Aluminium
TW3713				Oblique	Iron
TW3714				Twister	Iron
TW3715				Oblique	Iron
TW3716				Straight	Iron
TW3721	4"(ϕ 100mm) 5"(ϕ 125mm) 7"(ϕ 175mm)	#30 #100 #200	#50	X- Cup	Iron
TW3722				Single Cup	Iron
TW3723				Double Cup Wheels	Iron
TW3724	4"(ϕ 100mm) 5"(ϕ 130mm)	#40 #200	#100 M14	Continous	Iron



TOOLS HOLDER for Stone Machine TW41



Intermac and Bimatech Type TW411

Items	Machine Type	Description
TW4111	Intermac and Bimatech	ISO 30 G1/2
TW4112	Intermac and Bimatech	ISO 30 D35L34
TW4113	Intermac and Bimatech	ISO 30 D35L47
TW4114	Intermac and Bimatech	ISO 40 G1/2
TW4115	Intermac and Bimatech	ISO 40 D35L39
TW4116	Intermac and Bimatech	ISO 40 D35L47
TW4117	Intermac and Bimatech	ISO 40 ER 20/25/32/40
TW4119	Intermac and Bimatech	ISO 40 Flange D50L5

Other types can be customized.



TW4111



TW4112



TW4113



TW4114



TW4115



TW4116



TW4117



TW4119

CNC Tools Holder & Adapter TW4

VEM & Thibaut & Hellios & Park Industries Type TW412

Items	Type	Description
TW4121	Bavelloni, Pedrini	BT 30 G1/2
TW4122	Bavelloni, Pedrini	BT 30 ER 20/25/32/40
TW4123	VEM, Thibaut, Hellios, Park Industries/Agut	BT 40 G1/2
TW4124	VEM, Thibaut, Hellios, Park Industries	BT 40 G1/2 D40H15
TW4125	VEM, Thibaut, Hellios, Park Industries	BT 40 D35L39
TW4126	Bavelloni, Pedrini	BT 40 ER 20/25/32/40
TW4127	Bavelloni, Pedrini	BT 40 5/8"-11
TW4128	Bavelloni, Pedrini	BT 40 D35L34/39/47

Other types can be customized.



TW4121



TW4122



TW4123



TW4124



TW4125



TW4126



TW4127



TW4128

Breton Type TW413

Items	Type	Description
TW4131	Breton	ISO 40 G1/2
TW4132	Breton	ISO 40 D35L39
TW4133	Breton	ISO 40 D35L47
TW4134	Breton	ISO 40 D35L80
TW4135	Breton	ISO 40 G1/2 D40H50
TW4136	Breton	ISO 50 1"/G1/2 D40H400

Other types can be customized.



TW4131



TW4132



TW4133



TW4134



TW4135



TW4136

Brembana Type TW414

Items	Type	Description
TW4141	Brembana/2T	ISO 30 G1/2 D50L30
TW4142	Brembana/2T	ISO 40 G1/2 D50L50
TW4143	Brembana/2T	ISO 40 D35L39
TW4144	Brembana/2T New Type	ISO 30 ER25/32/40
TW4145	Brembana/2T New Type	ISO 40 ER25/32/40
TW4146	Brembana/2T	ISO 40 Flange
TW4147	Brembana/2T	ISO 40 M24

Other types can be customized.



DIN 69871/A Type TW415

Items	Type	Description
TW4151	DIN 69871/A	ISO 40 G1/2
TW4152	DIN 69871/A	ISO 40 ER40
TW4153	DIN 69871/A	ISO 40 D35L47H80

Other types can be customized.



Other Type TW416

Items	Type	Description
TW4161		ISO 40 G1/2 D50H20
TW4162		ISO 40 D22L47

Other types can be customized.



TW4161



TW4162

Hat Type Plastic holder TW410

TW4101



BT30

TW4102



BT40

TW4103



ISO30

TW4104



ISO40

Metal Adapter TW42

Items	Products	Description
TW4211	Adapter	From G1/2 to M14,M16,M24,5/8"-11
TW4212	ER Collet Chuck Adapter	From G1/2 to ER20,25,32,40
TW4213	Flange for Profiling wheels D87/D50	G1/2 , 5/8"-11 Thread
TW4214	Adapter for Dilling Bit	G1/2 to φ10/M12 Female
TW4215	Adapter for Profiling Wheels	G1/2 to Dia.22, Dia35 L=34,39,47,80mm
TW4216	Spring Collet ER	ER16,ER20,ER25,ER32,ER40

TW4211



M14



M24

TW4213



D87/D100/D140

TW4215



D50



ER25

TW4212



ER32

TW4214



M12/M14


TW4216



ER40



M12/M14



TW4217 Pull Stud for Tools Hold

Photo	Type	L×L1×L2×D1×D2×D3×Arbor(D)	Technical Drawing
	A-D30	44×24×19×φ13×φ13×φ17×M12	
	A-D40	54×26×20×φ17×φ19×φ23×M16	
	A-D50	74×34×25×φ25×φ28×φ36×M24	
	B-D30	44×24×19×φ13×φ13×φ17×M12	
	B-D40	54×26×20×φ17×φ19×φ23×M16	
	B-D50	74×34×25×φ25×φ28×φ36×M24	
	C-D30	43×23×18×φ16.5×φ12.5×M12×13	
	C-D40	60×35×28×φ23×φ17×M16×19	
	C-D50	85×45×35×φ25×φ23×M24×30	

Adapter for Polishing Pads TW43

Items	Products	Description
TW4311	Rubber Adapter for Soft Pads	Size: 3"4"5" M14,M16,5/8"-11
TW4312	Rubber Adapter for Hard Pads	Size: 3"4"5" M14,M16,5/8"-11
TW4313	Plastic Sponge Adapter	Size: 3"4"5" M14,M16,5/8"-11
TW4314	Plastic Adapter for Hard Pads	Size: 3"4"5" M14,M16,5/8"-11
TW4321	Aluminium Adapter for Pads	Size: 4"5" M14,M16,5/8"-11
TW4322	Snail Lock holder Adapter	Size: 4"5" M14,M16,5/8"-11/Snail Lock
TW4323	Plastic Snail Lock Adapter	Size: 4"5" Snail Lock to Velcro
TW4324	Plastic Snail Lock Adapter	Size: 4"5" Snail Lock to Plane
TW4325	Plastic Snail Adapter	Size: 4"5" Snail Lock to Plane
TW4326	Plastic Frankfurt Adapter	Size: 4"5" Frankfurt to Velcro

TW4311



TW4312



TW4313



TW4314



TW4321




TW4322



TW4323




TW4324



TW4325



TW4326



Diamond Flexible Polishing Pad TW51

	TW5111	Item Name	Red Pad
	Diameter	3" 4" 5" 6"	
	Grit	#50 #100 #200 #400 #800 #1500 #3000	
	Application	Wet Polishing, Granite, Marble, Quartz, Terrazzo	
	Features	Colorful Pads	
	TW5112	Item Name	Colored Pad
	Diameter	4" 5" 6"	
	Grit	#50 #100 #200 #400 #800 #1500 #3000	
	Application	Wet Polishing, Granite, Marble, Quartz, Terrazzo, Concrete	
	Features	Colorful Pads	
	TW5113	Item Name	Green spiral Pad
	Diameter	4" 5" 6"	
	Grit	#50 #100 #200 #400 #800 #1500 #3000	
	Application	Wet Polishing, Granite, Marble, Quartz, Terrazzo, Concrete	
	Features	Spiral groove in front face to increase the sharpness	
	TW5121	Item Name	White Pad
	Diameter	4" 5" 6"	
	Grit	#50 #100 #200 #400 #800 #1500 #3000	
	Application	Wet or Dry Polishing, Granite, Marble, Quartz, Terrazzo, Concrete	
	Features	General use pad. Can fit all kind of stones and situation	
	TW5122	Item Name	Black Pad
	Diameter	4" 5" 6"	
	Grit	#50 #100 #200 #400 #800 #1500 #3000	
	Application	Wet or Dry Polishing, Granite, Marble, Quartz, Terrazzo, Concrete	
	TW5131	Item Name	Super Thin Pad
	Diameter	4" 5" 6"	
	Grit	#50 #100 #200 #400 #800 #1500 #3000	
	Application	Wet or Dry Polishing, Granite, Marble, Quartz, Terrazzo, Concrete	
	Features	Super thin pad with hexagonal face	
	TW5132	Item Name	Dry White Pad
	Diameter	3" 4" 5" 6"	
	Grit	#50 #100 #200 #400 #800 #1500 #3000	
	Application	Dry Polishing, Granite, Marble, Quartz, Terrazzo, Concrete	

Diamond Flexible Polishing Pad TW51

TW5133	Item Name	Dry Polishing Pad
	Diameter	3" 4" 5" 6"
	Grit	#50 #100 #200 #400 #800 #1500 #3000
	Application	Dry Polishing, Granite, Marble, Quartz, Terrazzo, Concrete
TW5141	Item Name	3-Step Polishing Pad
	Diameter	4"
	Step	1-2-3
	Application	Wet Polishing, Granite, Marble, Quartz, Terrazzo, Concrete
	Features	Flexible and soft pad, fit the processing of counter top
TW5142	Item Name	3-Step Polishing Pad
	Diameter	4" 5" 6"
	Step	1-2-3
	Application	Wet Polishing, Granite, Marble, Quartz, Terrazzo, Concrete
	Features	Different formula, increase the lifespan visibly
TW5151	Item Name	Buff Pad
	Diameter	4" 5" 6"
	Grit	#0
	Application	Granite, Marble, Quartz, Terrazzo, Concrete
TW5152	Item Name	White Buff Pad
	Diameter	4" 5" 6"
	Grit	#0
	Application	Granite, Marble, Quartz, Terrazzo, Concrete
TW5153	Item Name	Black Buff Pad
	Diameter	4" 5" 6"
	Grit	#0
	Application	Granite, Marble, Quartz, Terrazzo, Concrete

Diamond Hard Polishing Pad TW52

< 3" Hard Polishing Pad TW521

Diameter	φ50mm, φ60mm, φ65mm, φ75mm	Application
Grit	#50 #100 #200 #400 #800 #1500 #3000	Granite, Marble, Quartz, Terrazzo, Concrete
Connect	Velcro Backing	

TW5211




TW5212



TW5213



TW5214



3" Hard Polishing Pad TW522

Diameter	3"(φ80mm)	Application
Grit	#50 #100 #200 #400 #800 #1500 #3000	Granite, Marble, Quartz, Terrazzo, Concrete
Connect	Velcro Backing	

TW5221



TW5222



TW5223



TW5224



TW5225



4" & 5" Hard Polishing Pad TW523/TW524

Diameter	4"(φ100mm), 5"(φ125mm)	Application
Grit	#50 #100 #200 #400 #800 #1500 #3000	Granite, Marble, Quartz, Terrazzo, Concrete
Connect	Velcro Backing	

TW5231



TW5232



TW5233



TW5234



TW5235



TW5236



TW5237



TW5238



TW5239



TW5240



TW5241




TW5242



TW5243



TW5244




TW5245



> 6 " Hard Polishing Pad TW525

Diameter	6"(φ150mm),7"(φ175mm),8"(φ200mm), 9"(φ220mm),10"(φ250mm),16"(φ400mm)	Application
Grit	#50 #100 #200 #400 #800 #1500 #3000	Granite,Marble,Quartz,Terrazzo,Concrete
Connect	Velcro Backing	

TW5251



TW5252



TW5253



TW5254



TW5255

